

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

#### Identification

- · Product Identifier
- · Trade Name: Element i+® Total T4
- · Relevant identified uses of the substance or mixture and uses advised against:
- · **Product Description:** Detection of Total T4 for veterinary applications
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Heska

3760 Rocky Mountain Ave Loveland, Colorado 80538

1-800-464-3752

· Emergency telephone number: 1-800-464-3752

#### Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

REACTIVITY 0 Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

## 3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.
- · Dangerous Components:

57-50-1 Sucrose, Pure

Combustible Dust

2-12%

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### First-Aid Measures

- · Description of first aid measures
- · **General information:** No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

- · After skin contact: If skin irritation occurs, consult a doctor.
- · After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

### 5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
7440-09-7	Potassium chloride	2.3 mg/m³
7778-77-0	Potassium Phosphate	9.6 mg/m³
PAC-2:		
7440-09-7	Potassium chloride	25 mg/m³
7778-77-0	Potassium Phosphate	110 mg/m³
· PAC-3:		
7440-09-7	Potassium chloride	150 mg/m³
7778-77-0	Potassium Phosphate	630 mg/m³

### 7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

### 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

#### 57-50-1 Sucrose, Pure

PEL Long-term value: 15\* 5\*\* mg/m3

\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³

\*total dust \*\*respirable fraction
TLV Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None

#### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid material

Color: White

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined.

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not determined.

· Density:

Relative density:

Vapor density:

Evaporation rate:

Not determined.

Not determined.

Not determined.

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.00 %

· Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

57-50-1 Sucrose, Pure

Oral LD50 29,700 mg/kg (Rat)

- · Primary irritant effect:
- On the skin: No irritating effect.
- On the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

### 5 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:

	erfund Amendments and Reauthorization):	
	5 (extremely hazardous substances):	
None of the	ingredients are listed.	
Section 313	3 (Specific toxic chemical listings):	
None of the	ingredients are listed.	
· TSCA (Tox	ic Substances Control Act):	
	Sucrose, Pure	ACTIVE
26873-85-8	Ficoll 400	ACTIVE
7647-14-5	Sodium Chloride	ACTIVE
	Sodium Phosphate, dibasic	ACTIVE
	Potassium chloride	ACTIVE
7778-77-0	Potassium Phosphate	ACTIVE
Hazardous	Air Pollutants	
None of the	ingredients are listed.	
	Proposition 65:	
· Chemicals	known to cause cancer:	
None of the	ingredients are listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients are listed.	
Chemicals	known to cause reproductive toxicity for males:	
	ingredients are listed.	
Chemicals	known to cause developmental toxicity:	
None of the	ingredients are listed.	
New Jersey	/ Right-to-Know List:	
7558-79-4	Sodium Phosphate, dibasic	
7440-09-7	Potassium chloride	
New Jersey	/ Special Hazardous Substance List:	
7440-09-7	Potassium chloride	F3, R2
Pennsylvai	nia Right-to-Know List:	·
-	Sucrose, Pure	
	Sodium Phosphate, dibasic	
7558-79-4	Socialiti i nospitate, dibasic	

· Carcinogenic categories:

Pennsylvania Special Hazardous Substance List:

7558-79-4 | Sodium Phosphate, dibasic

· EPA (Environmental Protection Agency): None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH): 57-50-1 Sucrose, Pure Α4

Ε



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/14/2019 Reviewed on 08/08/2019

Trade Name: Element i+® Total T4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### *16 Other Information*

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of last revision/ revision number: 08/14/2019 / 1
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

\* \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106